







FAX Completed Form To 1.833.404.2392

Pharmacy Help Desk 1.800.460.8988

Prescriber Help Desk 1.833.587.2012

Request for Prior Authorization Crisaborole (Eucrisa)

(PL	EASE PRINT - ACCURACY IS IMPO	ORTANT)	1.833.587.2012
IA Medicaid Member ID #	Patient name	•	DOB
Patient address			
Provider NPI	Prescriber name		Phone
Prescriber address			Fax
Pharmacy name	Address		Phone
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.			
Pharmacy NPI	Pharmacy fax	NDC	
an adequate trial and therapy failur consecutive weeks; and 5) Pat immunomodulator for a minimum emollients. 7) Quantities will be lim per 30 days. The required trials now would be medically contraindicated.	d to good skin care and regular use of the with two preferred medium to high ient has documentation of a preson of 4 weeks; and 6) Patient will contited to 60 grams for use on the face, nay be overridden when documented.	potency topical co evious trial and f ntinue with skin ca neck, and groin ar	orticosteroids for a minimum of 2 therapy failure with a topical are regimen and regular use of ad 100 grams for all other areas,
Non Droforrod			
Non-Preferred ☐ Eucrisa			
	Usage Instructions	Quantity	Day's Supply
Strength Diagnosis: Has patient failed to respond to g	Usage Instructions good skin care and regular use of elame, dosing instructions & duration of	emollients?	
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product n	good skin care and regular use of e	emollients? \(\)	
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose:	good skin care and regular use of ename, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1:	emollients? \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	∕es □ No
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Medium to High Potent Drug name & dose:	good skin care and regular use of elame, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1:	emollients? \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	∕es □ No
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Topical Immunomoduling Drug name & dose: Failure reason:	good skin care and regular use of elame, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1:	emollients? Yes Yes	/es □ No
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Topical Immunomoduling Drug name & dose: Failure reason:	good skin care and regular use of ename, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1:	emollients? Yes Yes	/es □ No
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Topical Immunomodul Drug name & dose: Failure reason: Affected area to be treated:	good skin care and regular use of elame, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1:	emollients? \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Yes □ No
Strength Diagnosis: Has patient failed to respond to go Document emollient use: Product not will patient continue with skin care Yes Emollient to be used: Preferred Medium to High Potent Drug name & dose: Failure reason: Preferred Topical Immunomodul Drug name & dose: Failure reason: Affected area to be treated:	good skin care and regular use of ename, dosing instructions & duration of regimen and regular use of emollient cy Corticosteroid Trial 1: cy Corticosteroid Trial 2: ator Trial: to override trial requirements: umentation as necessary.	emollients? \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Yes □ No

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid. 1 of 1 Rev. 4/19