

Fax Completed Form To 1.833.404.2392 Prescriber Help Desk 1.833.587.2012 Online covermymeds.com/main/ prior-authorization-forms/

## Request for Prior Authorization Cyclosporine Ophthalmic Emulsion 0.1% (Verkazia)

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #							Patient name			DOB										
Patient add	ress					-														
Provider NPI							Prescriber name			Phone										
Prescriber address							Fax													
Pharmacy name A							Ad	Address				Phone								
-																				
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.																				
Pharmacy NPI								Pharmacy fax NDC												
								,												
<b>D</b> ·	• •				•	•	1.0					<i>,</i> ,	• •	\ <u> </u>			•			

Prior authorization (PA) is required for cyclosporine 0.1% ophthalmic emulsion (Verkazia). Payment will be considered for an FDA approved or compendia indicated diagnosis for the requested drug when the following conditions are met:

- I. Request adheres to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations; and
- 2. Patient has a diagnosis of moderate to severe vernal keratoconjunctivitis (VKC); and
- 3. Documentation of an adequate trial (2 to 3 weeks) and therapy failure with a preferred topical dual-acting mast cell stabilizer/topical antihistamine (e.g., olopatadine, azelastine); and
- 4. Documentation of an adequate trial (2 to 3 weeks) and therapy failure with a preferred topical ophthalmic corticosteroid (e.g., dexamethasone, prednisolone, fluorometholone, loteprednol); and
- 5. Is prescribed by, or in consultation with an ophthalmologist or optometrist; and
- 6. Is not prescribed in combination with other ophthalmic cyclosporine products.

The required trials may be overridden when documented evidence is provided that use of these agents would be medically contraindicated.

Initial requests will be approved for 6 months. Additional authorizations will be considered upon documentation of clinical response to therapy.

Non-Preferred

Verkazia

Strength	Dosage Instructions	Quantity	Days Supply						
Diagnosis:									
5									
Prescriber Specialty: Ophth	almologist 🗌 Optometrist	Other (specify):							
If other, note consultation with ophthalmologist or optometrist: Consultation date:									
Physician name, specialty & phone:									
ls patient using other ophthalmic cyclosporine products in combination with Verkazia? 🗌 Yes 🗌 No									



## Fax Completed Form To 1.833.404.2392 Prescriber Help Desk 1.833.587.2012

Online <u>covermymeds.com/main/</u> prior-authorization-forms/

Request for Prior Authorization Cyclosporine Ophthalmic Emulsion 0.1% (Verkazia)

(PLEASE PRINT – ACCURACY IS IMPORTANT)

## **Trial Documentation:**

Preferred dual-acting mast cell stabilizer/topical antihistamine:

Drug Name:	Strength:
Dosing Instructions:	Trial start date:
Preferred topical ophthalmic corticosteroid: Drug Name:	Strength:
Dosing Instructions:	Trial start date:
Medical or contraindication reason to override trial requirements:	
Requests for continuation therapy:	
Has patient demonstrated a positive clinical response to therapy?	
□ No	
Yes, please describe:	

## Attach lab results and other documentation as necessary.

Prescriber signature (Must match prescriber listed above.)	Date of submission

**IMPORTANT NOTE:** In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid.