





Fax Completed Form To 1.833.404.2392

#### **Prescriber Help Desk** 1.833.587.2012

Online

covermymeds.com/main/ prior-authorization-forms/

## **Request for Prior Authorization** TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name	DOB						
Patient address								
Provider NPI	Prescriber name	Phone						
Prescriber address	Fax							
Pharmacy name	Address	Phone						
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.								
Pharmacy NPI	Pharmacy fax	NDC						

Prior authorization (PA) is not required for preferred topical acne agents (topical antibiotics and topical retinoids) for members under 21 years of age. PA is required for preferred topical acne agents for members 21 years or older, nonpreferred topical acne agents and all topical rosacea agents. Payment will be considered when member has an FDA approved or compendia indication for the requested drug, except for any drug or indication excluded from coverage, as defined in Section 1927 (2)(d) of the Social Security Act, Iowa's CMS approved State Plan, and the Iowa Administrative Code (IAC) when the following conditions are met:

- Request adheres to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations; and
- 2) Documentation of diagnosis; and
- 3) For the treatment of acne vulgaris, benzoyl peroxide is required for use with a topical antibiotic or topical retinoid; and
- Payment for non-preferred topical antibiotic or topical retinoid acne products will be authorized only for cases in which there is documentation of previous trials and therapy failures with two preferred topical acne agents of a different chemical entity from the requested topical class (topical antibiotic or topical retinoid); and
- 5) Payment for non-preferred topical acne products outside of the antibiotic or retinoid class (e.g., Winlevi) will be authorized only for cases in which there is documentation of previous trials and therapy failures with a preferred topical retinoid and at least two other topical acne agents. If criteria for coverage are met, initial requests will be approved for six months; and
- 6) Payment for non-preferred topical rosacea products will be authorized only for cases in which there is documentation of a previous trial and therapy failure with a preferred topical rosacea agent; and
- 7) Requests for non-preferred combination products may only be considered after documented trials and therapy failures with two preferred combination products; and
- Requests for topical retinoid products for skin cancer, lamellar ichthyosis, and Darier's disease diagnoses will receive approval with documentation of submitted diagnosis; and
- Duplicate therapy with agents in the same topical class (topical antibiotic or topical retinoid) will not be considered.

The required trials may be overridden when documented evidence is provided that the use of these agents would be medically contraindicated.

(Rev. 10/23) Page I of 3







### Fax Completed Form To 1.833.404.2392 Prescriber Help Desk

#### Prescriber Help Desk 1.833.587.2012

Online covermymeds.com/main/prior-authorization-forms/

# Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS (PLEASE PRINT – ACCURACY IS IMPORTANT)

Preferred	Non-Preferred			
Adapalene/BPO 0.1-2.5%	Acanya	Cleocin T	Metronidazole Gel & Lotion	
Adapalene Gel	Aczone	Clindagel	Noritate	
Avita Gel	Adapalene/BPO 0.3-2.5%	Clindamycin/BPO 1.2-5%	Onexton	
Azelex	Adapalene/BPO Pad	Clindamycin Foam	Retin-A Micro	
Clindamycin	Adapalene Cream/Sol	Clindamycin Phosphate-Tretinoin	Sodium Sulfa/Sulf	
Clindamycin/BPO 1.2-2.5%	Altreno Lotion	Dapsone Gel	Tretinoin	
Erythromycin	Amzeeq	Evoclin	Winlevi	
Metronidazole 0.75% Cream	Arazlo	Erythromycin/BPO	Ziana	
Retin-A	Atralin	Fabior	Zilxi	
Tazarotene Cream & Gel	Avita Cream	Finacea		
	Azelaic Acid Gel 15%	Ivermectin cream		
	Benzamycin	Klaron		
	Other (specify)			

Strength	Dosage Form	Dosage Instructions	Quantity	Days Supply
If acne vulgaris, do	ocument concurrent benz	coyl peroxide use:		
Drug Name & Strengt	:h:			
Dosing Instructions:		Start date:		
Non-Preferred To	pical Acne or Rosacea Pr	roducts		
_	•	erred topical acne agents of a differe must be preferred topical acne comb	•	f a non-preferred
Rosacea diagnosis:	Document trial with one pr	eferred topical rosacea agent of a di	fferent chemical ent	ity:
Preferred Trial I: Nan	me/Dose:	Trial Date	s:	
Failure reason:				
Preferred Trial 2: Nan	me/Dose:	Trial Date	s:	
Failure reason:				
Requests for Non-F	Preferred Agents outside o	f antibiotic or retinoid class (e.g,	Winlevi):	
Preferred Topical Ret	inoid: Name/Dose:	Trial Date	s:	
Failure reason:				
Trial 2: Name/Dose:_		Trial Date	s:	
Failure reason:				
Trial 3: Name/Dose:_		Trial Date	s:	
Failure reason:				

(Rev. 10/23) Page 2 of 3







Fax Completed Form To 1.833.404.2392 Prescriber Help Desk 1.833.587.2012 Online

covermymeds.com/main/ prior-authorization-forms/

# Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Medical or contraindication reason to override trial requirements:					
Other relevant information:					
Possible drug interactions/conflicting drug therapies:					
Attach lab results and other documentation as necessary.					
Prescriber signature (Must match prescriber listed above.)	Date of submission				

**IMPORTANT NOTE:** In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid.

(Rev. 10/23) Page 3 of 3