



Request for Prior Authorization Vesicular Monoamine Transporter (VMAT) 2 Inhibitors

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Fax Completed Form To 1.833.404.2392 Prescriber Help Desk

rescriber Help Des 1.833.587.2012

Online

covermymeds.com/main/ prior-authorization-forms/

IA Medicaid Member ID #	Patient name	DOB		
Patient address				
Provider NPI	Prescriber name	Phone		
Prescriber address		Fax		
Pharmacy name	Address	Phone		
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.				
Pharmacy NPI	Pharmacy fax	NDC		

Prior authorization is required for VMAT 2 inhibitors. Payment for non-preferred agents will be considered only for cases in which there is documentation of previous trial and therapy failure with a preferred agent (when applicable, based on diagnosis). Payment will be considered under the following conditions:

Tardive Dyskinesia (Ingrezza, Austedo or Austedo XR)

- 1. Patient meets the FDA approved age; and
- 2. Patient has a diagnosis of tardive dyskinesia (TD) based on the presence of ALL of the following:
 - a. Involuntary athetoid or choreiform movements
 - b. Documentation or claims history of current or prior chronic use (≥ 3 months or 1 month in patients ≥ 60 years old) of a dopamine receptor blocking agent (e.g., antipsychotic, metoclopramide, prochlorperazine, droperidol, promethazine, etc.)
 - c. Symptoms lasting longer than 4-8 weeks; and
- 3. Prescribed by or in consultation with a neurologist or psychiatrist; and
- 4. Prescriber has evaluated the patient's current medications for consideration of a dose reduction, withdrawal, or change of the dopamine receptor blocking agent causing the TD; and
- 5. Documentation of baseline AIMS (Abnormal Involuntary Movement Scale) Score (attach AIMS); and
- 6. For Ingrezza:
 - a. Will not be used concurrently with MAO inhibitors (e.g., isocarboxazid, phenelzine, rasagiline, safinamide, selegiline, tranylcypromine, etc.) or strong CYP3A4 inducers (e.g., carbamazepine, phenytoin, phenobarbital, rifampin and related agents, St. John's wort, etc.); and
 - b. Will not be used concurrently with other VMAT2 inhibitors; and
 - c. Is prescribed within the FDA approved dosing; or
- 7. For Austedo or Austedo XR:
 - a. Patient does not have hepatic impairment; and
 - b. Will not be used concurrently with MAO inhibitors, reserpine, or other VMAT2 inhibitors; and
 - c. Patients that are taking a strong CYP2D6 inhibitor (e.g., quinidine, paroxetine, fluoxetine, bupropion) or are poor CYP2D6 metabolizers, the daily dose does not exceed 36mg per day (18mg twice daily); and
 - d. Is prescribed within the FDA approved dosing.

If criteria for coverage are met, initial requests will be given for 3 months. Continuation of therapy will be considered when the following criteria are met:

- 1. Patient continues to meet the criteria for initial approval; and
- 2. Documentation of improvement in TD symptoms as evidenced by a reduction of AIMS score from baseline (attach current AIMS).

(Rev. 1/24) Page 1 of 3







Request for Prior Authorization Vesicular Monoamine Transporter (VMAT) 2 Inhibitors

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Fax Completed Form To 1.833.404.2392 **Prescriber Help Desk** 1.833.587.2012 Online

covermymeds.com/main/ prior-authorization-forms/

<u>Chorea associated with Huntington's disease</u> (Austedo, Austedo XR or tetrabenazine)

- Patient meets the FDA approve age; and
- 2. Patient has a diagnosis of Huntington's disease with chorea symptoms; and
- Prescribed by or in consultation with a neurologist or psychiatrist; and
- 4. Is prescribed within the FDA approved dosing; and
- 5. Patient is not suicidal, or does not have untreated or inadequately treated depression; and
- 6. Patient does not have hepatic impairment; and
- 7. Patient does not have concurrent therapy with MAO inhibitors, reserpine, or other VMAT2 inhibitors; and
- For tetrabenazine, patients requiring doses above 50mg per day have been tested and genotyped for the drug metabolizing enzyme CYP2D6 to determine if they are a poor metabolizer or extensive metabolizer; and
- In patients that are taking a strong CYP2D6 inhibitor (e.g., quinidine, paroxetine, fluoxetine, bupropion) or are poor CYP2D6 metabolizers, the daily dose does not exceed the following:
 - a. Austedo 36mg per day (18mg single dose) or

☐ Yes

inhibitors?

b. Tetrabenazine - 50mg per day (25mg single dose)

If criteria for coverage are met, initial requests will be given for 3 months. Continuation of therapy will be considered when the following criteria are met:

	et the criteria for initial approval; and		
2. Documentation of impro Preferred	vement in chorea symptoms is prov	ided. <u>Non-Preferrec</u>	<u>i</u>
☐ Austedo ☐ Austedo >	KR 🗌 Ingrezza 🔲 Tetrabenazin	e Xenazine	
Strength	Dosing Instructions	Quantity	Days' Supply
☐ Tardive Dyskinesia (Au	stedo, Austedo XR or Ingrezza):		
Documentation o	following: oid or choreiform movement f a dopamine receptor blocking agent: e:		
Symptoms lasting	longer than 4-8 weeks; date of onset:		
If other, note consulta	neurologist	atrist:	
•	ted the patient's current medications the receptor blocking agent causing the		e reduction, withdrawal, or
Baseline AIMS score (attach results):	Date conducted:	
 For Ingrezza: Does patient have cor 	ncurrent therapy with MAO inhibitors	, strong CYP3A4 inducers	s, or other VMAT2

(Rev. 1/24) Page 2 of 3







Request for Prior Authorization Vesicular Monoamine Transporter (VMAT) 2 Inhibitors

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Fax Completed Form To 1.833.404.2392 Prescriber Help Desk 1.833.587.2012

Online covermymeds.com/main/prior-authorization-forms/

 For Austedo or Austedo XR: 				
Does patient have hepatic impairment?				
Does patient have concurrent therapy with MAO inhibitors, reserpin Yes No	ne, or other VMAT2 inhibitors?			
Is patient taking a strong CYP2D6 inhibitor?	☐ No			
Has patient been identified as a poor CYP2D6 metabolizer?	☐ Yes ☐ No			
Renewal Requests:				
Updated AIMS score from baseline (attach results): Date	ate conducted:			
Chorea associated with Huntington's disease (Austedo, Austedo >	KR, Ingrezza or Tetrabenazine):			
 Is prescriber a: neurologist psychiatrist other: 				
If other, note consultation date with a neurologist or psychiatrist:				
Physician name, phone & specialty:				
 Is patient suicidal or have untreated or inadequately treated depressi 	on? Yes No			
Does patient have hepatic impairment? Tes	☐ No			
 Does patient have concurrent therapy with MAO inhibitors, reserping Yes No 	ne, or other VMAT2 inhibitors?			
• Is patient taking a strong CYP2D6 inhibitor?	□ No			
 Has patient been identified as a poor CYP2D6 metabolizer? 	Yes No			
 For tetrabenazine doses above 50mg per day, has patient been tested and genotyped for the drug metabolizing enzyme CYP2D6 to determine if they are a poor or extensive metabolizer? Yes No 				
Renewal Requests:				
Document improvement in chorea symptoms:				
Attach lab results and other documentation as necessary.				
Prescriber signature (Must match prescriber listed above.)	Date of submission			
· , ,				

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.

(Rev. 1/24) Page 3 of 3