

Request for Prior Authorization SHORT ACTING OPIOIDS

FAX Completed Form To 1.833.404.2392

Pharmacy Help Desk 1.800.460.8988

Prescriber Help Desk 1.833.587.2012

	Detient were				
IA Medicaid Member ID #	Patient name	DOB			
Patient address		<u> </u>			
Provider NPI	Prescriber name	Phone			
		1 Holic			
Prescriber address		Fax			
Pharmacy name	Address	Phone			
Prescriber must complete all informa	ation above. It must be legible, correct, and complete	or form will be returned.			
Pharmacy NPI	Pharmacy fax NDC				
Prior authorization (PA)is require	ed for all non-preferred short acting opioids.	PA is also required for members			
	e (combined across all opioids) exceeds the s				
	Dose Opioids PA form with request). Payme				
	has pain severe enough to require opioid treat				
	cologic therapies; and 3) Patient has tried a				
	Patient has documentation of previous trials				
	ort acting opioids (based on opioid ingredient				
	e patient's use of controlled substances on				
	determined that use of a short-acting opioid is a				
	tient's risk for opioid addiction, abuse and				
	s been informed of the common adverse effec				
	ng concurrent benzodiazepines, the prescribe				
	d benzodiazepines concurrently has been dis				
	current use is medically necessary is provid				
	propriate. If criteria for coverage are met, an in				
	will be considered if the following criteria are				
	nd level of functioning; and 2) Prescriber ha				
controlled substances on the lowa PMP website and has determined continued use of a short-acting opioid is					
appropriate for this member. 3) For patients taking concurrent benzodiazepines, the prescriber must document the					
following: a. the risks of using opioids and benzodiazepines concurrently has been discussed with the patient, and b. Documentation as to why concurrent use is medically necessary is provided; and c. A plan to taper the					
benzodiazepine is provided, if appropriate. The required trials may be overridden when documented evidence is					
provided that use of these agents and/or non-pharmacologic therapies would be medically contraindicated.					
Preferred (*Please refer to the PD		_			
list of preferred alternatives)	Butalbital/APAP/Caff/C				
	one /APAP 📃 Butalbital/ASA/Caff/Co	— •			
Hydrocodone/APAP (5/325)		Oxycodone/APAP			
Hydromorphone Tab Oxycode	one/ASA 🛛 🗌 Hydrocodone/APAP	(7.5/325, 10/325)			

(5/300, 7.5/300, 10/300)

Hydrocodone/Ibuprofen

Meperidine

Other (specify)

Morphine Sulfate Tab

Oxycodone Cap/Tab

Strength

Tramadol 50mg

Dosage Instructions

Primlev

Xodol

Quantity

Prolate

Roxicodone Tramadol 100mg

Days Supply



Request for Prior Authorization SHORT ACTING OPIOIDS (PLEASE PRINT – ACCURACY IS IMPORTANT)

FAX Completed Form To 1.833.404.2392

Pharmacy Help Desk 1.800.460.8988

Prescriber Help Desk 1.833.587.2012

Document non-pharmacologic therapies (such as physical therapy, weight loss, alternative therapies such as manipulation, massage, and acupuncture, or psychological therapies such as cognitive behavior therapy [CBT], etc,)

Non-Pharmacological Treatm	ent Trial #1:		
Non-Pharmacological Treatm	ent Trial #2:		
Trial Dates:	Failure reason:		
Document 2 nonopioid pha	rmacologic therapies (ad	etaminophen or NSA	lDs)
Nonopioid Pharmacologic Tri	al #1: Name/Dose:		Trial Dates:
Failure reason:			
Nonopioid Pharmacologic Tri	al #2: Name/Dose:		Trial Dates:
Failure reason:			
Document trials with three	preferred chemically dis	tinct short acting op	bioids
Preferred Trial 1: Drug Nam	e	Strength	Dosage Instructions
Trial start date:	Trial end date:		
Failure reason:			
Preferred Trial 2: Drug Nam	e	Strength	Dosage Instructions
Trial start date:	Trial end date:		
Failure reason:			
			Dosage Instructions
Trial start date:	Trial end date:		
Failure reason:			
Prescriber review of patient	t's controlled substances	s use on the Iowa PI	MP website: 🗌 No 🔲 Yes Date Reviewed:
Is short-acting opioid use a and misuse? □ No □`		sed on PMP review	and patient's risk for opioid addiction, abuse
			n, dry mouth, nausea, vomiting, drowsiness, when stopping opioids) and serious adverse

effects (potentially fatal overdose and development of a potentially serious opioid use disorder) of opioids?

🗌 No 🗌 Yes

Patients taking concurrent benzodiazepines:

Have the risks of using opioids and benzodiazepines concurrently been discussed with the patient?
No Yes



Request for Prior Authorization SHORT ACTING OPIOIDS (PLEASE PRINT – ACCURACY IS IMPORTANT)

FAX Completed Form To 1.833.404.2392

Pharmacy Help Desk 1.800.460.8988

Prescriber Help Desk 1.833.587.2012

Medical necessity for concurrent use:

Provide plan to taper the benzodiazepine or medical rationale why not appropriate:

Other medical conditions to consider:		
Prescriber signature (Must match prescriber listed above.)	Date of submission	

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid.