





Fax Completed Form To 1.833.404.2392

Prescriber Help Desk 1.833.587.2012

Online

covermymeds.com/main/ prior-authorization-forms/

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID # Patient name DOB	DOB						
Patient address							
Provider NPI Prescriber name Phone							
Prescriber address Fax	Fax						
Pharmacy name Address Phone							
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.							
Pharmacy NPI Pharmacy fax NDC							

Prior authorization (PA) is not required for preferred topical acne agents (topical antibiotics and topical retinoids) for members under 21 years of age. PA is required for preferred topical acne agents for members 21 years or older, non-preferred topical acne agents and all topical rosacea agents. Payment will be considered when member has an FDA approved or compendia indication for the requested drug, except for any drug or indication excluded from coverage, as defined in Section 1927 (2)(d) of the Social Security Act, lowa's CMS approved State Plan, and the lowa Administrative Code (IAC) when the following conditions are met:

- 1) Request adheres to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations; and
- 2) Documentation of diagnosis; and
- 3) For the treatment of acne vulgaris, benzoyl peroxide is required for use with a topical antibiotic or topical retinoid; and
- 4) Payment for non-preferred topical antibiotic or topical retinoid acne products will be authorized only for cases in which there is documentation of previous trials and therapy failures with two preferred topical acne agents of a different chemical entity from the requested topical class (topical antibiotic or topical retinoid); and
- 5) Payment for non-preferred topical acne products outside of the antibiotic or retinoid class (e.g., Winlevi) will be authorized only for cases in which there is documentation of previous trials and therapy failures with a preferred topical retinoid and at least two other topical acne agents. If criteria for coverage are met, initial requests will be approved for six months; and
- 6) Payment for non-preferred topical rosacea products will be authorized only for cases in which there is documentation of a previous trial and therapy failure with a preferred topical rosacea agent; and
- 7) Requests for non-preferred combination products may only be considered after documented trials and therapy failures with two preferred combination products; and
- 8) Requests for topical retinoid products for skin cancer, lamellar ichthyosis, and Darier's disease diagnoses will receive approval with documentation of submitted diagnosis; and
- 9) Duplicate therapy with agents in the same topical class (topical antibiotic or topical retinoid) will not be considered.

The required trials may be overridden when documented evidence is provided that the use of these agents would be medically contraindicated.

Rev. 7/25 Page 1 of 3



Non-Preferred

Acanya

Adapalene/BPO 0.3-2.5%

Preferred

Adapalene/BPO 0.1-2.5%

Adapalene Gel





Fax Completed Form To 1.833.404.2392

Prescriber Help Desk 1.833.587.2012

Online

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT - ACCURACY IS IMPORTANT)

Cleocin T

Clindagel

coverm	meds.com/main/			
prior-authorization-forms/				

Metronidazole Gel & Lotion

Noritate

Clindamycin	Adapalene/BPO	Pad	Clindamycin/BPO 1.2-5%		Onextor	1	
Clindamycin/BPO 1.2-2.5%	Adapalene Crear	m	Clindamycin Foam		Retin-A		
Erythromycin	Altreno Lotion		Clindamycin Phosphate-T	retinoin		Sulfa/Sulf	
Metronidazole 0.75% Cream	Arazlo		Dapsone Gel		Tretinoir	1	
Retin-A	Atralin		Erythromycin/BPO		Winlevi		
Tazarotene Cream & Gel	Azelaic Acid Gel	15%	Fabior		Ziana		
	Benzamycin		Finacea				
	Cabtreo		Ivermectin cream				
			Klaron				
Į	Other (specify)						
Strength Dosag	e Form	Dosage	e Instructions	Quant	ity	Days Supply	
Diagnosis:							
If acne vulgaris, document concurrent benzoyl peroxide use:							
Drug Name & Strength:							
Dosing Instructions:			Start date:				
Preferred Trial 1: Name/Dose: Failure reason:							
Preferred Trial 2: Name/Dose:							
Failure reason:							
Requests for Non-Preferred A	gents outside of	f antibiotic o	r retinoid class (e.g, W	/inlevi):			
Preferred Topical Retinoid: Name/Dose:			Trial Dates:_	Trial Dates:			
Failure reason:							
Trial 2: Name/Dose:			Trial Dates:_				
Failure reason:							
Trial 3: Name/Dose:			Trial Dates:_				
Failure reason:							
Medical or contraindication reason	on to override tria	al requirement	is:				







Fax Completed Form To 1.833.404.2392

Prescriber Help Desk 1.833.587.2012

Online

covermymeds.com/main/ prior-authorization-forms/

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT - ACCURACY IS IMPORTANT)

Other relevant information:		
Possible drug interactions/conflicting drug therapies: Attach lab results and other documentation as necessary.		
Prescriber signature (Must match prescriber listed above.)	Date of submission	

IMPORTANT NOTE: In evaluating requests for prior authorization, the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary, by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.

Rev. 7/25 Page 3 of 3